



**Laboratory Testing Services**

## Table of Contents

Alcohol Urine Sample	1		
Alcohol Blood Sample	2	Marijuana	43
Amitriptyline	3	MDA	44
Amoxapine	4	Meperidine	45
Amphetamine Panel	5	Methadone	46
		Methamphetamine	47
Barbiturates Panel	6	Methaqualone	48
Benzedrine	7	Methylphenidate	49
Benzene	8	Midazolam	50
Benzodiazepines Panel	9	Monoacetylmorphine	51
Benzoyllecgonine	10	Morphine	52
Benzphetamine	11		
Breast Milk	12	Nortriptyline	53
Bupropion	13	Nicotine	54
Caffeine	14	Opiate Confirmation	55
Cannabinoids	15	Opiate Extended Panel	56
Capsule (known)	16	Oral Fluid	57
Capsule (unknown)	17	Oxycodone	58
Carboxy-THC Retest	18		
Clomipramine	19	Paroxetine	59
Cocaine	20	Pentazocine	60
Codeine	21	Phencyclidine	61
Cotinine	22	Phentermine	62
		Protriptyline	63
Darvocet	23	Powder (unknown)	64
Demerol	24	Propoxyphene	65
Desipramine	25		
Dextroamphetamine	26	Referee Test	66
Diacetylmorphine	27	Ritalin	67
Diazepam	28		
Dilaudid	29	Screens	68
Doxepin	30	Sedative Hypnotic Panel	69
		Sertraline	70
Ecstasy	31	Steroid Panel	71
Ethanol	32	Sufentanil	72
Ethyl Glucuronide	33	Sympathomimetic	73
		Syringe	74
Flunitrazepam	34		
		Tablet	75
Halazepam	35	THC	76
Heroin	36	Trazodone	77
Hydrocodone	37	Triazolam	78
Hydromorphone	38	Trimipramine	79
Imipramine	39	Urine Drug Screen	80
Ketamine	40	Venlafaxine	81
Lorazepam	41	Weekend & Holiday	82
Lortab/Lorcet	42		

# Certifications & Accreditations





## **Mission Statement**

**To operate the most convenient, user friendly and interactive forensic toxicology laboratory services for our customers.**

**To provide comprehensive employment based drug testing to public and private industries.**

**To deliver optimum return on investment for both our customers and shareholders.**

**To provide growth opportunities for our employees.**



Antidepressants




Barbiturates

Barbiturates were very popular in the first half of the 20th century. In moderate amounts, these drugs produce a state of intoxication that is remarkably similar to alcohol intoxication. Symptoms include slurred speech, loss of motor coordination, and impaired judgment. Depending on the dose, frequency, and duration of use, one can rapidly develop tolerance, and physical and psychological dependence on barbiturates.



Benzodiazepines

Benzodiazepines were first marketed in the 1960s. Touted as much safer depressants with far less addiction potential than barbiturates, today these drugs account for about one out of every five prescriptions for controlled substances. Although benzodiazepines produce significantly less respiratory depression than barbiturates, it is now recognized that benzodiazepines share many of the undesirable side effects of the barbiturates.



Depressant

While alcohol is one of the oldest and most universal agents used for these purposes, hundreds of substances have been developed that produce central nervous system depression. These drugs have been referred to as downers, sedatives, hypnotics, minor tranquilizers, anxiolytics, and anti-anxiety medications. Barbiturates and benzodiazepines are also forms of depressants.



**Hallucinogen**

Physiological effects include elevated heart rate, increased blood pressure, and dilated pupils. Sensory effects include perceptual distortions that vary with dose, setting, and mood. Psychic effects include disorders of thought associated with time and space. Time may appear to stand still and forms and colors seem to change and take on new significance. This experience may be either pleasurable or extremely frightening.



**Occupational Hazard**

Benzene and phenol are colorless toxic gases. The hazardous materials are carcinogens and are vital in the production of plastic, synthetic rubber, dyes and drugs.



**Opiates  
Narcotics**

Opiates & Narcotics are used therapeutically to treat pain, suppress cough, alleviate diarrhea, and induce anesthesia. Narcotic use is associated with a variety of unwanted effects including drowsiness, inability to concentrate, apathy, lessened physical activity, constriction of the pupils, dilation of the subcutaneous blood vessels causing flushing of the face and neck, constipation, nausea, vomiting, and most significantly, respiratory depression.



**5 - 10 Panel Test**

Screens consists of several categories of drugs:

Amphetamines  
Benzodiazepines  
Methadone  
Opiates  
Propoxyphene

Barbiturates  
Cocaine  
Methaqualone  
Phencyclidine  
THC (Marijuana)



**Steroids**

The CSA defines anabolic steroids as any drug or hormonal substance chemically and pharmacologically related to testosterone (other than estrogens, progestins, and corticosteroids) that promotes muscle growth. The most commonly encountered anabolic steroids on the illicit market include testosterone, nandrolone, methenolone, stanozolol, and methandrostenolone.

---



**CNS  
Stimulant**

Most stimulants are available by prescription for legitimate medical use in the treatment of obesity, narcolepsy, and attention deficit disorders. As drugs of abuse, stimulants are frequently taken to produce a sense of exhilaration, enhance self esteem, improve mental and physical performance, increase activity, reduce appetite, produce prolonged wakefulness, and to “get high.”

---



**Unknown  
Substance**

One Source Toxicology Laboratory Inc. is authorized by the Drug Enforcement Administration, at Federal and State levels, to handle, test and store controlled substances. For testing services contact the client services department at One Source Toxicology to assist in an effort to determine any unknown substance.

---

Joseph, Donald E. Drugs of Abuse, The Drug Enforcement Administration. 2005 edition. The Columbia Encyclopedia, Sixth Edition. Copyright © 2003 Columbia University Press Copyright © 2005 Yahoo! Inc. All Rights Reserved. [www.samhsa.gov](http://www.samhsa.gov); [www.dea.gov](http://www.dea.gov); [www.rti.org](http://www.rti.org)



**Alcohol Blood Sample**

Synonym/ Component	ETOH; Ethanol; Ethyl Alcohol
Category	Sedative/Hypnotic; Volatile; Depressant

**Specimen Requirement**

Specimen Type	Blood
	The specimen sample is sealed in a gray test tube container.
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Enzyme Assay (EA) Screening
	Screening Cutoff: .01 g %
	Screening Cutoff: .02 g %
	Gas Chromatography / Flame Ionization Detector (FID)
	Reporting Cutoff: .01 g %
	Reporting Cutoff: .02 g %
	Reporting Cutoff: .04 g %
	Reporting Cutoff: .08 g %

**Detection Period** 6 – 10 Hours

**Reporting Time** 24 Hours

---

Total:	EA Screen:	\$24.99
	GC/MS Only:	\$34.99

<b>Amitriptyline</b>	Nortriptyline
Synonym/ Component	Elavil
Category	Antidepressant

**Specimen Requirement**

Specimen Type	Serum or Heparinized Plasma
	The specimen sample is sealed in a blood collection gray-top tube.
Volume	Preferred: 2 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

**Assay Parameters**

Methodology	Liquid Chromatography/Mass Spectrometry
Amitriptyline	Reporting Limit: 10 ng/mL
Nortriptyline	Reporting Limit: 10 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total:	LC/MS/MS:	\$69.99
--------	-----------	---------

**Amoxapine** Amoxapine and 8-Hydroxyamoxapine

Synonym/  
Component Asendin

Category Antidepressant

### Specimen Requirement

Specimen Type Serum or Heparinized Plasma

The specimen sample is sealed in a blood collection gray-top tube.

Volume Preferred: 2 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

### Assay Parameters

Methodology Liquid Chromatography/Mass Spectrometry

Amoxapine Reporting Limit: 10 ng/mL

8-Hydroxyamoxapine Reporting Limit: 10 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total: LC/MS/MS: \$69.99

**Amphetamine**

Amphetamine Panel

## Synonym

Adderall, Biphematine, Crank, Crystal, Crystal Meth, Delcobase, Dexedrine, Desoxyn, Obetrol, Speed.

## Category

Stimulant

**Specimen Requirement**

## Specimen Type

Urine

## Volume

Preferred: 30 mL Minimum: 10 mL

## Specimen Handling

The specimen may be shipped and stored in the laboratory at ambient temperatures for 3 days.

**Assay Parameters**

## Methodology

Immunoassay Screening (IA)  
Screening Cutoff: 1000 ng/mLGas Chromatography/Mass Spectrometry  
Reporting Cutoff: 500 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>1000 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>500 ng/mL</b>

**Detection Period**

48 – 72 Hours

**Reporting Time**

24 Hours

---

Total:	Screen Only:	\$20.00
	GC/MS Only:	\$50.00
	Bundled:	\$70.00

<b>Barbiturates Panel</b>	Panel
Category	Sedative and Hypnotic
Synonym	Amytal, Butisol, Fiorinal, Nembutal, Phenobarbital, Seconal, Tuinal, Black Beauties

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA) Screening Cutoff: 200 ng/mL
	Gas Chromatography / Mass Spectrometry (GC/MS) (GC/MS) Reporting Cutoff: 100 ng/mL

**Detection Period** 2 – 10 Days**Reporting Time** 24 Hours

---

Total:	Screening Only: \$20.00
	GC/MS Only: \$50.00
	All Inclusive: \$70.00

<b>Benzedrine</b>	Amphetamines
Synonym	Benzedrine, Crank, Crystal, Crystal Meth, Speed
Category	Stimulant

**Specimen Requirement**

Specimen Type	Aliquot of urine collection
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)	
	Screening Cutoff:	1000 ng/mL
	Gas Chromatography / Mass Spectrometry (GC/MS)	
	Reporting Cutoff:	500 ng/mL
	Reporting Cutoff:	100 ng/mL

<b>SAMHSA</b>	Reporting Cutoff: 1000 ng/mL
<b>Federal Regulation</b>	Reporting Cutoff: 500 ng/mL

**Detection Period** 48 – 72 Hours

**Reporting Time** 24 Hours

---

Total:	Screening Only:	\$20.00
	GC/MS Only:	\$50.00
	All Inclusive:	\$70.00

<b>Benzene</b>	Benzene as Phenol
Synonym	Phenol, Benzol, Cyclohexatriene
Category	Occupational or Environmental Toxin

**Specimen Requirement**

Specimen Type	Aliquot of a urine specimen collection
Volume	Preferred: 20 mL Minimum: 12 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.
Collection Time	After the work shift

**Assay Parameters**

Methodology	Gas Chromatography / Mass Spectrometry (GC/MS) Coupled with Creatinine
	Reporting Cutoff: 20 mg/g Creatinine

**OSHA Requirements** Reporting Cutoff: 75 mg/L

**Detection Period** 24 – 72 Hours

**Reporting Time** 24 Hours

---

Total: GC/MS: \$50.00

**Benzodiazepines** Diazepam (Valium), Chlordiazepoxide HCl (Librium), Alprazolam (Xanax), Triazolm (Halcion), Estazolam (ProSom)

**Synonym** Librium, Valium, Xanax

**Category** Sedative / Hypnotic

### **Specimen Requirement**

**Specimen Type** Urine

**Volume** Preferred 30 mL Minimum 10 mL

**Specimen Handling** The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### **Assay Parameters**

**Methodology** Immunoassay Screening (IA)  
Screening Cutoff: 200 ng/mL  
Screening Cutoff: 300 ng/mL

Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: 100 ng/mL  
Reporting Cutoff: 200 ng/mL

**Detection Period** 1 – 6 Weeks

**Reporting Time** 24 Hours

---

**Total:** Screening Only: \$20.00  
GC/MS Only: \$50.00  
Bundled: \$70.00

**Benzoylecgonine** Cocaine and Benzoylecgonine

Synonym Crack, Snow, Nose Candy, Blow

Category Stimulant

**Specimen Requirement**

Specimen Type Aliquot of urine collection

Volume Preferred 30 mL Minimum 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)	
Cocaine	Screening Cutoff:	300 ng/mL
Benzoylecgonine	Screening Cutoff:	150 ng/mL

	Gas Chromatography / Mass Spectrometry (GC/MS)	
Cocaine	Reporting Cutoff:	150 ng/mL
Benzoylecgonine	Reporting Cutoff:	50 ng/mL

<b>SAMHSA</b>	<b>Reporting Cutoff: 300 ng/mL</b>
---------------	------------------------------------

<b>Federal Regulations</b>	<b>Reporting Cutoff: 150 ng/mL</b>
----------------------------	------------------------------------

**Detection Period** 48 – 96 Hours (2 – 4 Days)**Reporting Time** 24 Hours

Total:	Screening Only:	\$20.00
	GC/MS Only:	\$50.00
	Bundled:	\$70.00

**Benzphetamine** Didrex, (Amphetamine and Methamphetamine Metabolites)

Synonym Didrex

Category Stimulant

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)	
Amphetamine	Screening Cutoff:	1000 ng/mL
Methamphetamine	Screening Cutoff:	1000 ng/mL

	Gas Chromatography / Mass Spectrometry (GC/MS)	
Amphetamine	Reporting Cutoff:	500 ng/mL 100 ng/mL
Methamphetamine	Reporting Cutoff: 500 ng/mL	100 ng/mL

<b>SAMHSA</b>	<b>Reporting Cutoff: 1000 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff: 500 ng/mL</b>

**Detection Period** 48 – 72 Hours**Reporting Time** 24 Hours

---

Total:	Screening Only: \$20.00
	GC/MS Only: \$50.00
	Bundled: \$70.00

**Breast Milk** Drug Screen

Synonym N/A

Category Drug Screen

### Specimen Requirement

Specimen Type Breast Milk

Volume Preferred 10 mL Minimum 3 mL

**Specimen Handling** The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### Assay Parameters

Methodology Immunoassay Screening (IA)  
Screening Cutoff: Various

Gas Chromatography / Mass Spectrometry (GC/MS) (GC/MS)  
Reporting Cutoff: Various

**Detection Period** N/A

**Reporting Time** 72 - 96 Hours (3-4 days)

---

Total: Bundled Only: \$82.50

**Bupropion** Bupropion and Hydroxybupropion

Synonym/  
Component Wellbutrin; Zyban

Category Antidepressant

### Specimen Requirement

Specimen Type Serum or Heparinized Plasma

The specimen sample is sealed in a blood collection gray-top tube.

Volume Preferred: 3 mL

Specimen Handling Freeze immediately and keep frozen.

### Assay Parameters

Methodology Liquid Chromatography/Mass Spectrometry

Bupropion Reporting Limit: 5 ng/mL

Hydroxybupropion Reporting Limit: 100 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total: LC/MS/MS: \$69.99

<b>Caffeine</b>	Caffeine
Synonym	N/A
Category	Methylxanthine; Stimulant

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 10 mL Minimum: 5 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)
Caffeine	Screening Cutoff: .5 µg/mL
	Gas Chromatography / Mass Spectrometry (GC/MS)
	Reporting Cutoff: .1 µ/mL

**Reporting Time** 24 Hours

---

**Total:** Screening Only: \$29.49

<b>Cannabinoids</b>	THC (Marijuana) Metabolite
Synonym	Blunts; Cannabinoids; Marijuana; Hemp; Mary Jane; Pot; Reefer; Roach; Weed
Category	Hallucinogen

**Specimen Requirement**

Specimen Type	Aliquot of urine collection
Volume	Preferred 10 mL Minimum 6 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)
THC	Screening Cutoff: 20 ng/mL 50 ng/mL
THC	Gas Chromatography / Mass Spectrometry (GC/MS) (GC/MS) Reporting Cutoff: 5 ng/mL 10 ng/mL 15 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff: 50 ng/mL</b>
<b>Federal Regulation</b>	<b>Reporting Cutoff: 15 ng/mL</b>

**Detection Period** 2 Days – 11 Weeks

**Reporting Time** 24 Hours

Total:	Screening Only: \$25.00
	GC/MS Only: \$50.00
	Bundled: \$70.00

**Capsule (Known)** Capsule Analysis, Known Substance Quantitation

Synonym N/A

Category Pharmaceutical – Drug Screen

**Specimen Requirement**

Condition As is

Specimen Type Capsule or Capsule Contents

**Assay Parameters**

Methodology Gas Chromatography / Mass Spectrometry (GC/MS)

**Detection Period** N/A

**Reporting Time** 7-10 Business Days

---

Total: \$199.00

**Capsule (Unknown)** Capsule Analysis, Unknown Substance

Synonym Unknown Substance

Category Pharmaceutical – Drug Screen

**Specimen Requirement**

Specimen Type Capsule or Capsule Contents

**Assay Parameters**

Methodology Various

Detection Period N/A

Reporting Time 7-10 Business Days

---

Total: \$249.00

<b>Carboxy-THC Retest</b>	Carboxy – THC RETEST at One Source Toxicology
<b>Synonym</b>	Blunts, Cannabinoids, Marijuana, Pot, THC, Hemp, Mary Jane, Reefer, Roach, Weed
<b>Category</b>	Hallucinogen

**Specimen Requirement**

<b>Specimen Type</b>	Urine
<b>Volume</b>	Preferred 10 mL Minimum 3 mL
<b>Specimen Handling</b>	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days. The specimen may be refrigerated or frozen.

**Assay Parameters**

<b>Methodology</b>	Immunoassay Screening (IA)	
	Screening Cutoff:	20 ng/mL 50 ng/mL
	Gas Chromatography / Mass Spectrometry (GC/MS)	
	Reporting Cutoff: 5 ng/mL	10 ng/mL 20 ng/mL

<b>SAMHSA</b>	Reporting Cutoff: 50 ng/mL
<b>Federal Regulation</b>	Reporting Cutoff: 15 ng/mL

<b>Interpretation</b>	Retest analysis for Carboxy-THC is performed to limit of detection
<b>Detection Period</b>	2 Days – 5 Weeks
<b>Reporting Time</b>	3 Business Days (72 hours)

---

Total: Bundled Only: \$49.00

**Clomipramine**                      Desmethylclomipramine

Synonym/  
Component                      Anafranil

Category                          Antidepressant

### Specimen Requirement

Specimen Type                  Serum or Heparinized Plasma

The specimen sample is sealed in a blood collection gray-top tube.

Volume                          Preferred: 2 mL

Specimen Handling              The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

### Assay Parameters

Methodology                      Liquid Chromatography/Mass Spectrometry

Clomipramine                      Reporting Limit: 10 ng/mL

Desmethylclomipramine  
Reporting Limit: 10 ng/mL

**Reporting Time**                  24 - 48 Hours

---

Total:                              LC/MS/MS:                      \$69.99

**Cocaine** Cocaine and Benzoyllecgonine

Synonym Crack, Nose Candy, Blow

Category Stimulant

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)	
Cocaine	Screening Cutoff:	300 ng/mL
Benzoyllecgonine	Screening Cutoff:	150 ng/mL

	Gas Chromatography / Mass Spectrometry (GC/MS) (GC/MS)	
Cocaine	Reporting Cutoff:	150 ng/mL
Benzoyllecgonine	Reporting Cutoff:	50 ng/mL

<b>SAMHSA</b>	<b>Reporting Cutoff: 300 ng/mL</b>
<b>Federal Regulation</b>	<b>Reporting Cutoff: 150 ng/mL</b>

**Detection Period** 48 – 96 Hours (2 – 4 Days)**Reporting Time** 24 Hours

---

Total:	Screening Only: \$20.00
	GC/MS Only: \$50.00
	Bundled: \$70.00

<b>Codeine</b>	Opiate Confirmation
<b>Synonym</b>	Codeine, Morphine, Acetylmorphine, Monoacetylmorphine, Acetaminophen, Guaifenesin, Fiorinal, Tylenol w/Codeine, Oxycontin, Percodan
<b>Category</b>	Narcotic Analgesic

**Specimen Requirement**

<b>Specimen Type</b>	Urine
<b>Volume</b>	Preferred: 30 mL Minimum: 10 mL
<b>Specimen Handling</b>	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

<b>Methodology</b>	Immunoassay Screening (IA)
Codeine	Screening Cutoff: 300 ng/mL
Morphine	Screening Cutoff: 300 ng/mL
6-acetylmorphine	Screening Cutoff: 4 ng/mL
	Gas Chromatography / Mass Spectrometry (GC/MS)
Codeine	Reporting Cutoff: 100 ng/mL
Morphine	Reporting Cutoff: 100 ng/mL
6-acetylmorphine	Reporting Cutoff: 10 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>2000 ng/mL</b>
<b>Federal Regulation</b>	<b>Reporting Cutoff:</b>	<b>2000 ng/mL</b>

**Detection Period** 48 – 72 Hours

**Reporting Time** 24 Hours

---

<b>Total:</b>	Screening Only: \$20.00
	GC/MS Only: \$50.00
	Bundled: \$70.00

**Cotinine** Cotinine (Nicotine Metabolite)

Synonym Nicotine Metabolite

Category Stimulant; Alkaloid

### Specimen Requirement

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### Assay Parameters

Methodology Immunoassay Screening (IA)

Nicotine Screening Cutoff: 500 ng/mL

Cotinine Screening Cutoff: 500 ng/mL

Gas Chromatography / Mass Spectrometry (GC/MS)

Nicotine Reporting Cutoff: 100 ng/mL

Cotinine Reporting Cutoff: 100 ng/mL

**Detection Period** 48 – 96 Hours (2 – 4 Days)

**Reporting Time** 24 Hours

---

Total: Bundled Only: \$60.00

**Darvocet** Darvocet – Propoxyphene and Acetaminophene

Synonym Propoxyphene and Acetaminophene

Category Narcotic Analgesic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**Methodology Immunoassay Screening (IA)  
Screening Cutoff: 300 ng/mLGas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: 100 ng/mLSAMHSA Reporting Cutoff: 2000 ng/mL  
Federal Regulation Reporting Cutoff: 2000 ng/mL**Detection Period** 8 – 24 Hours**Reporting Time** 24 Hours

---

Total: Screening Only: \$20.00  
GC/MS Only: \$50.00  
Bundled: \$70.00

**Demerol** Meperidine and Normeperidine

Synonym Demerol

Category Narcotic Analgesic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)	
Meperidine	Screening Cutoff:	300 ng/mL
Normeperidine	Screening Cutoff:	300 ng/mL

	Gas Chromatography / Mass Spectrometry (GC/MS)	
Meperidine	Reporting Cutoff:	300 ng/mL
Normeperidine	Reporting Cutoff:	300 ng/mL

<b>SAMHSA</b>	<b>Reporting Cutoff: 2000 ng/mL</b>
<b>Federal Regulation</b>	<b>Reporting Cutoff: 2000 ng/mL</b>

**Detection Period** 24 – 48 Hours**Reporting Time** 3 – 5 Days

---

Total:	Bundled Only:	\$69.00
--------	---------------	---------

<b>Desipramine</b>	Norpramin
Synonym/ Component	Norpramin
Category	Antidepressant

**Specimen Requirement**

Specimen Type	Serum or Heparinized Plasma
	The specimen sample is sealed in a blood collection gray-top tube.
Volume	Preferred: 2 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

**Assay Parameters**

Methodology	Liquid Chromatography/Mass Spectrometry
Desipramine	Reporting Limit: 10 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total: LC/MS/MS: \$69.99

**Dextroamphetamine**     Dextroamphetamine, Amphetamine

Synonym                     Dexedrine

Category                    Stimulant

**Specimen Requirement**

Specimen Type            Urine

Volume                     Preferred: 30 mL Minimum: 10 mL

Specimen Handling        The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days. The specimen may be refrigerated or frozen.

**Assay Parameters**Methodology              Immunoassay Screening (IA)  
Amphetamine             Screening Cutoff:                     1000 ng/mLAmphetamine             Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: 100 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>1000 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>500 ng/mL</b>

**Detection Period**        24 – 48 Hours**Reporting Time**         24 Hours

---

Total:                     Screening Only: \$20.00  
                                  GC/MS Only:    \$50.00  
                                  Bundled:         \$70.00

**Diacetylmorphine**

Heroin

## Synonym

Black tar, Diacetylmorphine, Diamorphine, H, Horse, Junk, Smack, Poppy

## Category

Narcotic / Opiate

**Specimen Requirement**

## Specimen Type

Urine

## Volume

Preferred: 30 mL Minimum: 10 mL

## Specimen Handling

The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

## Methodology

Immunoassay Screening (IA)

## Morphine

Screening Cutoff:

300 ng/mL

## 6-Acetylmorphine

Screening Cutoff:

300 ng/mL

## Morphine

Gas Chromatography / Mass Spectrometry (GC/MS) (GC/MS)

Reporting Cutoff: 300 ng/mL

## 6-Acetylmorphine

Reporting Cutoff: 10 ng/mL

**SAMHSA**

Screening Cutoff:

2000 ng/mL

**Federal Regulations**

Reporting Cutoff:

2000 ng/mL

**Detection Period**

24 – 48 Hours

**Reporting Time**

24 Hours

## Total:

Screening Only: \$20.00

GC/MS Only: \$50.00

Bundled: \$70.00

<b>Diazepam</b>	Benzodiazepine, Diazepam (Valium) and Desmethyldiazepam
Synonym	Valium
Category	Sedative / Hypnotic, Antiepileptic (Anticonvulsant), Benzodiazepine

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)	
Diazepam	Screening Cutoff:	200 ng/mL
Desmethyldiazepam	Screening Cutoff:	200 ng/mL
Diazepam/Metabolite	Screening Cutoff:	200 ng/mL
	Gas Chromatography / Mass Spectrometry (GC/MS)	
Diazepam	Reporting Cutoff:	100 ng/mL
Desmethyldiazepam	Reporting Cutoff:	100 ng/mL
Diazepam/Metabolite	Reporting Cutoff:	100 ng/mL

**Detection Period** 1 – 6 Weeks

**Reporting Time** 24 Hours

Total:	Screening Only: \$20.00
	GC/MS Only: \$50.00
	Bundled: \$70.00

<b>Dilaudid</b>	Hydromorphone
Synonym	Dilaudid
Category	Narcotic Analgesic

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)
Hydromorphone	Screening Cutoff: 300 ng/mL
	Gas Chromatography / Mass Spectrometry (GC/MS)
Hydromorphone	Screening Cutoff: 300 ng/mL
	Screening Cutoff: 100 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>2000 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>2000 ng/mL</b>

**Detection Period** 24 – 48 Hours

**Reporting Time** 24 Hours

---

Total:	Screening Only: \$20.00
	GC/MS Only: \$50.00
	Bundled: \$70.00

**Doxepin** Desmethyldoxepin

Synonym/  
Component Adapin; Sinequan

Category Antidepressant

### Specimen Requirement

Specimen Type Serum or Heparinized Plasma

The specimen sample is sealed in a blood collection gray-top tube.

Volume Preferred: 2 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

### Assay Parameters

Methodology Liquid Chromatography/Mass Spectrometry

Doxepin Reporting Limit: 10 ng/mL

Desmethyldoxepin Reporting Limit: 10 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total: LC/MS/MS: \$69.99

**Ecstasy** MDMA (methylemedioxymphetamine), Ecstasy, Amphetamine, MDA

**Synonym** Ecstasy, MDMA, X

**Category** Stimulant

### Specimen Requirement

**Specimen Type** Urine

**Volume** Preferred: 30 mL Minimum: 10 mL

**Specimen Handling** The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### Assay Parameters

**Methodology** Immunoassay Screening (IA)  
**MDMA** Screening Cutoff: 1000 ng/mL  
**MDA** Screening Cutoff: 1000 ng/mL

**Methodology** Gas Chromatography / Mass Spectrometry (GC/MS)  
**MDMA** Reporting Cutoff: 500 ng/mL 100 ng/mL  
**MDA** Reporting Cutoff: 500 ng/mL 100 ng/mL

**SAMHSA** Screening Cutoff: 1000 ng/mL  
**Federal Regulations** Reporting Cutoff: 500 ng/mL

**Detection Period** 8 – 24 Hours

**Reporting Time** 24 Hours

---

**Total:** Screening Only: \$20.00  
 GC/MS Only: \$50.00  
 Bundled: \$70.00

**Ethanol** Alcohol, Ethyl

Synonym ETOH, Ethanol, Ethyl Alcohol

Category Sedative / Hypnotic, Volatile, Depressant

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology Gas Chromatography

Alcohol, Ethyl Reporting Cutoff: .02 g %  
Reporting Cutoff: .04 g %  
Reporting Cutoff: .08 g %

**Detection Period** 6 – 10 Hours

**Reporting Time** 24 Hours

---

Total: GC/MS Only: \$24.99

**Ethyl Glucuronide**

Synonym/  
Component Ethyl Glucuronide

Category Depressant

**Specimen Requirement**

Specimen Type Urine

The specimen sample is sealed in a urine collection container.

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology Enzyme Assay (EA) Screening  
 Screening Cutoff: .01 g %  
 Screening Cutoff: .02 g %

Gas Chromatography / Flame Ionization Detector (FID)  
 Reporting Cutoff: .01 g %  
 Reporting Cutoff: .02 g %  
 Reporting Cutoff: .04 g %  
 Reporting Cutoff: .08 g %

Detection Period 6 – 10 Hours

Reporting Time 24 Hours

Total: EA Screen: \$31.99  
 Add On: \$24.99  
 GC/MS Only: \$24.99

**Flunitrazepam** Flunitrazepam (Rohypnol) and metabolites

Synonym Rohypnol, Date Rape pill, Roach-2, Roaches, Roofenol, Roofies

Category Sedative / Hypnotic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology Immunoassay Screening (IA)  
Screening Cutoff: 300 ng/mL 200 ng/mL

Gas Chromatography / Mass Spectrometry (GC/MS) Reporting  
Cutoff: 200 ng/mL 100 ng/mL

**Reporting Time** 24 Hours

---

Total: Screening Only: \$20.00  
GC/MS Only: \$50.00  
Bundled: \$70.00

**Halazepam** Halazepam (Paxipam), Benzodiazepine

Synonym Paxipam

Category Sedative / Hypnotic

### Specimen Requirement

Specimen Type Urine

Volume Preferred 10 mL Minimum 3 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### Assay Parameters

Methodology Immunoassay Screening (IA)  
Screening Cutoff: 300 ng/mL 200 ng/mL

Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: 200 ng/mL 100 ng/mL

**Detection Period** 1 – 6 Weeks

**Reporting Time** 24 Hours

---

Total: Screening Only: \$20.00  
GC/MS Only: \$50.00  
Bundled: \$70.00

<b>Heroin</b>	Diacetylmorphine
Synonym	H, Horse, Junk, Smack, Poppy
Category	Narcotic

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 3 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)
Morphine	Screening Cutoff: 300 ng/mL
6-Acetylmorphine	Screening Cutoff: 10 ng/mL
	Gas Chromatography / Mass Spectrometry (GC/MS)
Morphine	Reporting Cutoff: 300 ng/mL
6-Acetylmorphine	Reporting Cutoff: 10 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>2000 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>2000 ng/mL</b>

**Detection Period** 24 – 48 Hours

**Reporting Time** 24 Hours

Total:	Screening Only:	\$20.00
	GC/MS Only:	\$50.00
	Bundled:	\$70.00

**Hydrocodone** Hydrocodone

Synonym Hydrocodan, Vicodin

Category Narcotic Analgesic, Antitussive

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology Immunoassay Screening (IA)

Hydrocodone Screening Cutoff: 300 ng/mL

Hydrocodone Gas Chromatography / Mass Spectrometry (GC/MS)

Reporting Cutoff: 300 ng/mL 100 ng/mL

**SAMHSA Screening Cutoff: 2000 ng/mL**

**Federal Regulations Reporting Cutoff: 2000 ng/mL**

**Detection Period** 24 – 48 Hours

**Reporting Time** 24 Hours

---

Total: Screening Only: \$20.00

GC/MS Only: \$50.00

Bundled: \$70.00

**Hydromorphone** Hydromorphone (Dilaudid)

Synonym Dilaudid

Category Narcotic Analgesic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**Methodology Immunoassay Screening (IA)  
Hydromorphone Screening Cutoff: 300 ng/mLHydromorphone Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: 300 ng/mL 100 ng/mLSAMHSA Screening Cutoff: 2000 ng/mL  
Federal Regulations Reporting Cutoff: 2000 ng/mL**Detection Period** 24 – 48 Hours**Reporting Time** 24 Hours

---

**Total:** Screening Only: \$20.00  
 GC/MS Only: \$50.00  
 Bundled: \$70.00

<b>Imipramine</b>	Desipramine
Synonym/ Component	Tofanil
Category	Antidepressant

**Specimen Requirement**

Specimen Type	Serum or Heparinized Plasma
	The specimen sample is sealed in a blood collection gray-top tube.
Volume	Preferred: 2 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

**Assay Parameters**

Methodology	Liquid Chromatography/Mass Spectrometry
Imipramine	Reporting Limit: 10 ng/mL
Desipramine	Reporting Limit: 10 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total:	LC/MS/MS:	\$69.99
--------	-----------	---------

**Ketamine** Ketamine Confirmation

Synonym Special K

Category Sedative / Hypnotic

### Specimen Requirement

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### Assay Parameters

Methodology Gas Chromatography / Mass Spectrometry (GC/MS)  
Screening Cutoff: 250 ng/mL

Detection Period 24 - 48 Hours

Reporting Time 24 Hours

---

Total: GC/MS Only: \$49.99

**Lorazepam** Lorazepam (Ativan), Benzodiazepine

Synonym Ativan

Category Sedative / Hypnotic

### Specimen Requirement

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### Assay Parameters

Methodology Immunoassay Screening (IA)  
Lorazepam Screening Cutoff: 300 ng/mL 200 ng/mL

Lorazepam Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: 100 ng/mL

**Detection Period** 1 – 6 Weeks

**Reporting Time** 24 Hours

---

Total: Screening Only: \$20.00  
GC/MS Only: \$50.00  
Bundle: \$70.00

**Lortab/Lorcet** Hydrocodone and Acetaminophen

Synonym Lorcet / Lortab

Category Narcotic Analgesic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**Methodology Immunoassay Screening (IA)  
Hydrocodone Screening Cutoff: 300 ng/mLHydrocodone Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: 300 ng/mL 100 ng/mLSAMHSA Screening Cutoff: 2000 ng/mL  
Federal Regulations Reporting Cutoff: 2000 ng/mL**Detection Period** 24 – 48 Hours**Reporting Time** 24 Hours

---

**Total:** Screening Only: \$20.00  
 GC/MS Only: \$50.00  
 Bundled: \$70.00

<b>Marijuana</b>	THC Metabolite
Synonym	Cannabinoids, Marijuana, Hemp, Mary Jane, Reefer, Roach, Weed
Category	Hallucinogen

**Specimen Requirement**

Specimen Type	Aliquot of urine collection
Volume	Preferred 20 mL Minimum 6 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)	
	Screening Cutoff:	20 ng/mL
	Screening Cutoff:	50 ng/mL
	Screening Cutoff:	100 ng/mL
	Gas Chromatography / Mass Spectrometry (GC/MS)	
	Reporting Cutoff:	5 ng/mL
	Reporting Cutoff:	10 ng/mL
	Reporting Cutoff:	15 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>50 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>15 ng/mL</b>

**Detection Period** 12 Days – 5 Weeks

**Reporting Time** 24 Hours

Total:	Screening Only:	\$20.00
	GC/MS Only:	\$50.00
	Bundled:	\$70.00

**MDA**                      Methylenedioxyamphetamine

Synonym                      Ecstasy

Category                      Stimulant

**Specimen Requirement**

Specimen Type              Urine

Volume                      Preferred: 30 mL Minimum: 10 mL

Specimen Handling        The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**Methodology              Immunoassay Screening (IA)  
MDA                      Screening Cutoff:                      1000 ng/mLMDA                      Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff:                      500 ng/mL 100 ng/mL**SAMHSA                      Screening Cutoff:                      1000 ng/mL**  
**Federal Regulations      Reporting Cutoff:                      500 ng/mL****Detection Period**        8 – 24 Hours**Reporting Time**         24 HoursTotal:                      Screening Only: \$20.00  
                                 GC/MS Only:     \$50.00  
                                 Bundled:           \$70.00

**Meperidine** Meperidine (Demerol) and Normeperidine, Opiate

Synonym Demerol

Category Narcotic Analgesic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology Immunoassay Screening (IA)

Meperidine Screening Cutoff: 300 ng/mL

Normeperidine Screening Cutoff: 300 ng/mL

Methodology Gas Chromatography / Mass Spectrometry (GC/MS)

Meperidine Reporting Cutoff: 300 ng/mL

Normeperidine Reporting Cutoff: 300 ng/mL

**SAMHSA Screening Cutoff: 2000 ng/mL****Federal Regulations Reporting Cutoff: 2000 ng/mL****Detection Period** 24 – 48 Hours**Reporting Time** 24 Hours

Total: Screening Only: \$20.00

GC/MS Only: \$50.00

Bundled: \$70.00

**Methadone** Methadone (Dolophine), Opiate

Synonym Dolophine

Category Narcotic Analgesic

### Specimen Requirement

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### Assay Parameters

Methodology Immunoassay Screening (IA)

Methadone Screening Cutoff: 300 ng/mL

Methadone Metabolite Screening Cutoff: 300 ng/mL

Gas Chromatography / Mass Spectrometry (GC/MS)

Methadone Reporting Cutoff: 300 ng/mL

Methadone Metabolite Reporting Cutoff: 300 ng/mL

**Detection Period** 5 – 10 Days

**Reporting Time** 24 Hours

---

Total: Screening Only: \$20.00

GC/MS Only: \$50.00

Bundled: \$70.00

**Methamphetamine** Amphetamine and Methamphetamine

Synonym Crank, Crystal, Crystal Meth, Speed

Category Stimulant

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)	
Amphetamine	Screening Cutoff:	1000 ng/mL
Methamphetamine	Screening Cutoff:	1000 ng/mL

	Gas Chromatography / Mass Spectrometry (GC/MS)	
Amphetamine	Reporting Cutoff:	500 ng/mL
Methamphetamine	Reporting Cutoff:	500 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>1000 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>500 ng/mL</b>

**Detection Period** 24 – 48 Hours**Reporting Time** 24 Hours

---

Total:	Screening Only:	\$20.00
	GC/MS Only:	\$50.00
	Bundled:	\$70.00

**Methaqualone**                      Methaqualone (Quaalude)

Synonym                              Quaalude, Ludes

Category                             Sedative / Hypnotic

### Specimen Requirement

Specimen Type                      Urine

Volume                               Preferred: 30 mL Minimum: 10 mL

Specimen Handling                The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### Assay Parameters

Methodology                        Immunoassay Screening (IA)  
Methaqualone                        Screening Cutoff:                      300 ng/mL

Methaqualone                        Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: 200 ng/mL

**Detection Period**                2 Weeks

**Reporting Time**                    24 Hours

---

Total:                                  Screening Only: \$20.00  
   GC/MS Only:    \$50.00  
   Bundled:           \$70.00

<b>Methylphenidate</b>	Methylphenidate (Ritalin)
Synonym	Ritalin
Category	Stimulant, Miscellaneous Psychotherapeutic Agent

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology Methylphenidate	Gas Chromatography / Mass Spectrometry (GC/MS) Reporting Cutoff: 20 ng/mL
--------------------------------	--

**Detection Period** 24 – 48 Hours

**Reporting Time** 48 – 72 Hours (2 – 3 Business Days)

---

Total: GC/MS Only: \$99.00

**Midazolam** Midazolam (Versed)  
Synonym Versed  
Category Anesthetic, Sedative / Hypnotic

**Specimen Requirement**

Specimen Type Urine  
Volume Preferred: 30 mL Minimum: 10 mL  
Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology Immunoassay Screening (IA)  
Midazolam Reporting Cutoff: 300 ng/mL 200 ng/mL  
Gas Chromatography / Mass Spectrometry (GC/MS)  
Midazolam Reporting Cutoff: 200 ng/mL 100 ng/mL

**Detection Period** 1 – 6 Weeks

**Reporting Time** 24 Hours

---

Total: Screening Only: \$20.00  
GC/MS Only: \$50.00  
Bundled: \$70.00

**Monoacetylmorphine** Opiate Confirmation

Synonym Codeine, Morphine, Acetylmorphine, Monoacetylmorphine

Category Narcotic Analgesic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology Gas Chromatography / Mass Spectrometry (GC/MS)

Codeine Reporting Cutoff: 2000 ng/mL

Morphine Reporting Cutoff: 2000 ng/mL

6-Acetylmorphine Reporting Cutoff: 10 ng/mL

SAMHSA Screening Cutoff: 2000 ng/mL

Federal Regulations Reporting Cutoff: 2000 ng/mL

Detection Period 24 – 48 Hours

Reporting Time 24 Hours

Total: GC/MS Only: \$99.00

<b>Morphine</b>	Opiate Confirmation
Synonym	Codeine, Morphine, Acetylmorphine, Monoacetylmorphine
Category	Narcotic Analgesic

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Gas Chromatography / Mass Spectrometry (GC/MS)	
Codeine	Reporting Cutoff:	2000 ng/mL
Morphine	Reporting Cutoff:	2000 ng/mL
6-acetylmorphine	Reporting Cutoff:	10 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>2000 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>2000 ng/mL</b>

**Detection Period** 24 – 48 Hours

**Reporting Time** 24 Hours

Total:	Screening Only:	\$20.00
	GC/MS Only:	\$50.00
	Bundled:	\$70.00

**Nortriptyline**

Synonym/  
Component                      Aventyl; Pamelor

Category                         Antidepressant

**Specimen Requirement**

Specimen Type                 Serum or Heparinized Plasma

The specimen sample is sealed in a blood collection gray-top tube.

Volume                         Preferred: 2 mL

Specimen Handling            The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

**Assay Parameters**

Methodology                    Liquid Chromatography/Mass Spectrometry

Nortriptyline                   Reporting Limit: 10 ng/mL

**Reporting Time**               24 - 48 Hours

---

Total:                            LC/MS/MS:                    \$69.99

**Nicotine** Nicotine and Cotinine Confirmation, Urine

Synonym Cotinine, Nicotine

Category Stimulant, Alkaloid

### Specimen Requirement

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### Assay Parameters

Methodology Immunoassay Screening (IA)

Nicotine Screening Cutoff: 500 ng/mL

Cotinine Screening Cutoff: 500 ng/mL

Gas Chromatography / Mass Spectrometry (GC/MS)

Nicotine Reporting Cutoff: 100 ng/mL

Cotinine Reporting Cutoff: 100 ng/mL

**Detection Period** 48 – 96 Hours

**Reporting Time** 24 Hours

---

Total: Bundled Only: \$60.00

<b>Opiate</b>	Opiate Confirmation
Synonym	Codeine, Morphine, Acetylmorphine, Monoacetylmorphine
Category	Narcotic Analgesic

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Gas Chromatography / Mass Spectrometry (GC/MS) Reporting Cutoff: 2000/2000 ng/mL
-------------	---

<b>SAMHSA Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>2000 ng/mL</b>
---------------------------------------	--------------------------	-------------------

**Detection Period** 24 – 48 Hours

**Reporting Time** 24 Hours

---

Total: GC/MS Only: \$60.00

<b>Opiate Extended</b>	Opiate Extended Panel
Synonym	Oxycodone, Hydrocodone, and Oxymorphone
Category	Narcotic Analgesic

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Gas Chromatography / Mass Spectrometry (GC/MS) Reporting Cutoff: 2000/2000 ng/mL
SAMHSA Federal Regulations	Reporting Cutoff: 2000 ng/mL

**Detection Period** 24 – 48 Hours

**Reporting Time** 24 Hours

---

Total:	Stand Alone:	\$9.99
	GC/MS:	\$24.99

**Oral Fluid Panel**

Synonym/  
Component                      Amphetamine, Opiates, Cocaine, Phencyclidine, Marijuana

Category                         5 - Panel Oral Fluid Testing

**Specimen Requirement**

Specimen Type                 Oral Fluid

Volume                         Preferred: 2 mL

Specimen Handling            The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

**Assay Parameters**

Methodology                    Liquid Chromatography/Mass Spectrometry

Paxetine                         Reporting Limit: 5 ng/mL

**Reporting Time**               24 - 48 Hours

---

Total:                            LC/MS/MS:                 \$22.99  
   Add On:                        \$22.99

**Oxycodone** Oxycodone (Percodan), Oxymorphone

Synonym Percodan, Percocet

Category Narcotic Analgesic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**Methodology Immunoassay Screening (IA)  
Oxycodone Screening Cutoff: 300/300 ng/mLOxycodone Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: 300/300 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>2000 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>2000 ng/mL</b>

**Detection Period** 8 – 24 Hours**Reporting Time** 24 Hours

---

Total: Screening Only: \$20.00  
GC/MS Only: \$50.00  
Bundled: \$70.00

**Paroxetine**

Synonym/ Component	Paxil
Category	Antidepressant

**Specimen Requirement**

Specimen Type	Serum or Heparinized Plasma
	The specimen sample is sealed in a blood collection gray-top tube.
Volume	Preferred: 2 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

**Assay Parameters**

Methodology	Liquid Chromatography/Mass Spectrometry
Paxetine	Reporting Limit: 5 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total: LC/MS/MS: \$69.99

**Pentazocine** Pentazocine (Talwin)f

Synonym Talwin

Category Narcotic Analgesic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**Methodology Immunoassay Screening (IA)  
Pentazocine Screening Cutoff: 300/300 ng/mLPentazocine Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: 100/100 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>2000 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>2000 ng/mL</b>

**Detection Period** 8 – 24 Hours**Reporting Time** 24 Hours

---

Total: Screening Only: \$20.00  
GC/MS Only: \$60.00  
Bundled: \$70.00

**Phencyclidine** Phencyclidine (PCP)

Synonym Angel Dust, Animal Tranquilizer, PCP

Category Hallucinogen

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**Methodology Immunoassay Screening (IA)  
Phencyclidine Screening Cutoff: 25 ng/mLPhencyclidine Gas Chromatography / Mass Spectrometry (GC/MS) (GC/MS)  
Reporting Cutoff: 10 ng/mLSAMHSA Screening Cutoff: 25 ng/mL  
Federal Regulations Reporting Cutoff: 25 ng/mL**Detection Period** 2 – 8 Days**Reporting Time** 24 Hours

---

**Total:** Screening Only: \$20.00  
 GC/MS Only: \$50.00  
 Bundled: \$70.00

**Phentermine**                      Phentermine (Ionamine)

Synonym                              Ionamine

Category                             Stimulant

**Specimen Requirement**

Specimen Type                      Urine

Volume                               Preferred: 30 mL Minimum: 10 mL

Specimen Handling                  The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology                              Gas Chromatography / Mass Spectrometry (GC/MS)  
Phentermine                               Reporting Cutoff: 100 ng/mL

**Detection Period**

**Reporting Time**

---

Total:                                      GC/MS Only:      \$99.00

**Protriptyline**

Synonym/ Component	Vivactyl
Category	Antidepressant

**Specimen Requirement**

Specimen Type	Serum or Heparinized Plasma
	The specimen sample is sealed in a blood collection gray-top tube.
Volume	Preferred: 2 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

**Assay Parameters**

Methodology	Liquid Chromatography/Mass Spectrometry
Protriptyline	Reporting Limit: 10 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total: LC/MS/MS: \$69.99

**Powder (Unknown)** Powder Analysis, Unknown Substance Identification

Synonym Unknown Substance

Category Pharmaceutical

**Specimen Requirement**

Specimen Type Powder or Residue

Volume N/A

Specimen Handling As is

**Assay Parameters**

Methodology Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: Various

**Reporting Time** 24 Hours

---

Total: GC/MS Only: \$249.00

**Propoxyphene** Propoxyphene (Darvon) and Norpropoxyphene

Synonym Darvon

Category Narcotic Analgesic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)	
Propoxyphene	Screening Cutoff:	300/300 ng/mL
Norpropoxyphene	Screening Cutoff:	300/300 ng/mL

	Gas Chromatography / Mass Spectrometry (GC/MS)	
Propoxyphene	Reporting Cutoff: 300 ng/mL	100 ng/mL
Norpropoxyphene	Reporting Cutoff: 300 ng/mL	100 ng/mL

<b>SAMHSA</b>	<b>Screening Cutoff:</b>	<b>2000 ng/mL</b>
<b>Federal Regulations</b>	<b>Reporting Cutoff:</b>	<b>2000 ng/mL</b>

**Detection Period** 8 – 24 Hours**Reporting Time** 24 Hours

---

Total:	Screening Only:	\$20.00
	GC/MS Only:	\$50.00
	Bundled:	\$70.00

<b>Referee Test</b>	Referee Test at One Source Toxicology
<b>Category</b>	Various
<b>Specimen Requirement</b>	
<b>Specimen Type</b>	Urine
<b>Volume</b>	Preferred 10 mL Minimum 3 mL
<b>Specimen Handling</b>	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days. The specimen may be refrigerated or frozen.
<b>Assay Parameters</b>	
<b>Methodology</b>	Immunoassay Screening (IA) Screening Cutoff: Various
	Gas Chromatography / Mass Spectrometry (GC/MS) Reporting Cutoff: Various
<b>Interpretation</b>	Retest analysis for Carboxy-THC is performed to limit of detection
<b>Detection Period</b>	Various
<b>Reporting Time</b>	10 Business Days (72 hours)

---

Total: Bundled Only: \$249.00

<b>Ritalin</b>	Methylphenidate (Ritalin)
Synonym	Ritalin
Category	Stimulant, Miscellaneous Psychotherapeutic Agent

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Gas Chromatography / Mass Spectrometry (GC/MS)
Methylphenidate	Reporting Cutoff: 20 ng/mL

**Detection Period** 24 – 48 Hours

**Reporting Time** 48 – 72 Hours (2 – 3 Business Days)

---

Total: GC/MS Only: \$99.00

**Screen** 5-Panel, 7-Panel, 9-Panel, 10-Panel Screens

**Synonym** Drug Screening

**Category** Various Drug Combinations

**Specimen Requirement**

**Specimen Type** Aliquot of urine collection

**Volume** Preferred: 30 mL Minimum: 10 mL

**Specimen Handling** The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

**Methodology** Immunoassay Screening (IA)

<b>Interpretation</b>	<b>Screen</b>
Amphetamine	Various
Barbiturates	Various
Bezodiazepines	Various
Cocaine	Various
Marijuana	Various
Methadone	Various
Methaqualone	Various
Opiates	Various
Phencyclidine	Various
Propoxyphene	Various

**Total:**

5 - Panel Screen:	\$34.00
7 - Panel Screen:	\$39.00
9 - Panel Screen:	\$44.00
10 - Panel Screen:	\$49.00

**Sedative Hypnotic Panel**

Sedative Hypnotic Panel

Synonym Date Rape Panel, Barbiturates, Benzodiazepines, GHB

Category Sedative / Hypnotic

**Specimen Requirement**

Specimen Type Aliquot of urine collection

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology Immunoassay Screening (IA)

Gas Chromatography / Mass Spectrometry (GC/MS)

**Interpretation**

**Screen**

**Confirmation**

Ethyl Alcohol	.02 g %	.02 g %
Barbiturates	300 ng/mL	100 ng/mL
Benzodiazepines	100 ng/mL	75 ng/mL
GHB		

---

Total: Screening Only: \$49.00

**Sertraline** Desmethylsertraline

Synonym/  
Component Zoloft

Category Antidepressant

### Specimen Requirement

Specimen Type Serum or Heparinized Plasma

The specimen sample is sealed in a blood collection gray-top tube.

Volume Preferred: 2 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

### Assay Parameters

Methodology Liquid Chromatography/Mass Spectrometry

Sertraline Reporting Limit: 5 ng/mL

Desmethylsertraline Reporting Limit: 5 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total: LC/MS/MS: \$69.99

**Steroid Panel****15-Panel Steroid Screen and Confirmation Tests**

Boldenone, Methenolone, Methandienone or Methyl-Testosterone, Nandrolone, Stanozolol or Stanozolol, Testosterone, Mesterolone, Norethandrolone, Androstenedione\*\*, Epitestosterone\*, Clostebol Acetate, Trenbolone, Dromostanolone, Norandrostenedione, Epiandrolone

\* Epitestosterone is tested to get the Testosterone/Epitestosterone (T/E) Ratio

\*\*No known cutoff levels

**Synonym** Arnolds, Gym Candy, Hype, Juice, Roids, Pumpers, Stackers, or Weight Trainers

**Category** Steroid Screen

**Specimen Requirement**

**Specimen Type** Urine

**Volume** Preferred: 50 mL Minimum: 30 mL

**Specimen Handling** The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

**Methodology** Liquid Chromatography/Mass Spectrometry

Screen	Confirmation
10 ng/mL	1 ng/mL

**Detection Period** Various

**Reporting Time** 24 Hours

---

**Total:** LC/MS/MS Only: \$149.99

<b>Sufentanil</b>	Fentanyl Analogue Screen
Synonym	Innocar, China White, Sublimaze
Category	Narcotic Analgesic

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Gas Chromatography / Mass Spectrometry (GC/MS)
Alfentanil	Reporting Cutoff: 10 ng/mL
Fentanyl	Reporting Cutoff: 5 ng/mL
Sufentanil	Reporting Cutoff: 10 ng/mL

**Detection Period** 8 – 24 Hours**Reporting Time** 48 Hours

---

Total: GC/MS Only; \$49.00

**Sympathomimetic**      Sympathomimetic

Synonym                      Stimulant Screen

Category                     Stimulant

### Specimen Requirement

Specimen Type              Urine

Volume                       Preferred: 30 mL Minimum: 10 mL

Specimen Handling        The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

### Assay Parameters

Methodology                Immunoassay Screening (IA)  
Sympathomimetic        Screening Cutoff:                      1000 ng/mL

                                      Gas Chromatography / Mass Spectrometry (GC/MS)  
Sympathomimetic        Reporting Cutoff: 500 ng/mL        100 ng/mL

---

Total:                        Screening Only: \$20.00  
                                      GC/MS Only:     \$50.00  
                                      Bundled:           \$70.00



**Tablet** Tablet Analysis, Unknown Substance Identification

Synonym Unknown Tablet

Category Pharmaceutical

**Specimen Requirement**

Specimen Type Tablet or Residue

Specimen Handling As is

**Assay Parameters**

Methodology Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: Various

**Reporting Time** 7 – 10 Business Days

---

Total: GC/MS Only: \$249.00

<b>THC</b>	THC Metabolite
Synonym	Cannabinoids, Marijuana, Hemp, Mary Jane, Reefer, Roach, Weed
Category	Hallucinogen

**Specimen Requirement**

Specimen Type	Urine
Volume	Preferred: 30 mL Minimum: 10 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology	Immunoassay Screening (IA)
	Reporting Cutoff: 20 ng/mL Reporting Cutoff: 50 ng/mL Reporting Cutoff: 100 ng/mL
	Gas Chromatography / Mass Spectrometry (GC/MS)
	Reporting Cutoff: 5 ng/mL
	Reporting Cutoff: 10 ng/mL Reporting Cutoff: 15 ng/mL

**Detection Period** 2 Days – 11 Weeks

**Reporting Time** 24 Hours

---

Total:	Screening Only: \$20.00
	GC/MS Only: \$50.00
	Bundled: \$70.00

**Trazodone**

Synonym/ Component	Desyrel
Category	Antidepressant

**Specimen Requirement**

Specimen Type	Serum or Heparinized Plasma
	The specimen sample is sealed in a blood collection gray-top tube.
Volume	Preferred: 2 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

**Assay Parameters**

Methodology	Liquid Chromatography/Mass Spectrometry
Trazodone	Reporting Limit: 50 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total: LC/MS/MS: \$69.99

**Triazolam** Triazolam (Halcion) as Alpha-hydroxytriazolam, Benzodiazepine

Synonym Halcion

Category Sedative / Hypnotic

**Specimen Requirement**

Specimen Type Urine

Volume Preferred: 30 mL Minimum: 10 mL

Specimen Handling The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology

Gas Chromatography / Mass Spectrometry (GC/MS)

Alpha-

Hydroxytriazolam

Reporting Cutoff 100 ng/mL

**Detection Period** 1 – 6 Weeks

**Reporting Time** 24 Hours

---

Total: GC/MS Only: \$60.00

**Trimipramine**

Synonym/ Component	Surmontil
Category	Antidepressant

**Specimen Requirement**

Specimen Type	Serum or Heparinized Plasma
	The specimen sample is sealed in a blood collection gray-top tube.
Volume	Preferred: 2 mL
Specimen Handling	The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

**Assay Parameters**

Methodology	Liquid Chromatography/Mass Spectrometry
Trimipramine	Reporting Limit: 10 ng/mL

**Reporting Time** 24 - 48 Hours

---

Total: LC/MS/MS: \$69.99

**Urine Drug Screen**      5-panel or 10 panel Drug Screen

Category                      Drug Screen

**Specimen Requirement**

Specimen Type              Urine

Volume                      Preferred: 30 mL Minimum: 10 mL

Specimen Handling        The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 10 days.

**Assay Parameters**

Methodology                Immunoassay Screening (IA)  
Reporting Cutoff: Various

Gas Chromatography / Mass Spectrometry (GC/MS)  
Reporting Cutoff: Various

**Detection Period**        Various

**Reporting Time**            24 Hours

---

Total:

**Venlafaxine**                      Desmethylvenlafaxine

Synonym/  
Component                      Effexor

Category                          Antidepressant

### Specimen Requirement

Specimen Type                  Serum or Heparinized Plasma

The specimen sample is sealed in a blood collection gray-top tube.

Volume                           Preferred: 2 mL

Specimen Handling              The specimen may be shipped and stored in the laboratory at ambient temperatures for up to 3 days. Specimen may be refrigerated.

### Assay Parameters

Methodology                      Liquid Chromatography/Mass Spectrometry

Venlafaxine                       Reporting Limit: 10 ng/mL

Desmethylvenlafaxine          Reporting Limit: 10 ng/mL

**Reporting Time**                  24 - 48 Hours

---

Total:                              LC/MS/MS:                      \$69.99

**Weekend & Holiday** One Source Toxicology Laboratory opens its facilities to perform drug testing services during non-operating hours.

**Category** Special Services

**Specimen Requirement**

**Specimen Type** Urine Specimens

**Volume** N/A

**Specimen Handling** The specimen may be brought immediately to the laboratory to perform analysis.

**Assay Parameters**

**Methodology** Immunoassay Screening  
GC/MS  
LC/MS/MS

**Reporting Time** Immediate

---

**Total:** \$999.99 to open the laboratory regardless of the number of specimens tested.



One Source Toxicology  
1213 Genoa Red Bluff  
Pasadena, Texas 77504

onesourcetox.com    1-888-747-3774